

Software Title: Classroom Mathematics Comprehension Checks

Reviewer Name: Iris Nitschke

Review Date: 3/19/26

Final Review Status: Fail

Process and Protocols: If the vendor provides a Voluntary Product Accessibility Template, transfer the information directly from that template. Any standard that has an exception or less than 100% compliance shall be marked as a “fail.” If a VPAT has two or fewer failed standards, and no required standard has failed, the product shall pass. If a product has 3 to 5 failed standards, a manual assessment must be done. Products failing 6 or more standards, or failing any of the required standards are considered to have failed.

For manual assessments, any product which fails a required standard or fails 6 or more standards overall is considered to have failed.

Per VPAT:

<https://drive.google.com/file/d/1lfrZAuGEwStA4HDxA7bGbJINZsdkH-d1/view?usp=sharing>

| BUSD Web Accessibility Checklist | | |
|--|--------|--|
| Standard (*=required) | Status | Notes |
| * Baseline Test ID: 1.1-KeyboardAccess WCAG Standards: 2.1.1 Keyboard | Fail | In most cases, functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes, except where the underlying function requires input that depends on the path of the user's movement and not just the endpoints. The exception to this is: <ul style="list-style-type: none">In the data graph question type:<ul style="list-style-type: none">The interactive elements on the graph do not gain focus and cannot be operated with a keyboard alone. |
| * Baseline Test ID: 1.2-NoKeyboardTrap WCAG Standards: 2.1.2 No Keyboard Trap | Pass | |
| Baseline Test ID: 2.1-FocusVisible WCAG Standards: 2.4.7 Focus Visible | Pass | |

| | | |
|---|---------------|---|
| <p>* Baseline Test ID: 2.2-FocusOrder WCAG Standards: 2.4.3 Focus Order</p> | <p>Fail ▾</p> | <p>In most cases, functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes, except where the underlying function requires input that depends on the path of the user's movement and not just the endpoints. The exception to this is:</p> <ul style="list-style-type: none"> • In the data graph question type: <ul style="list-style-type: none"> ○ The interactive elements on the graph do not gain focus and cannot be operated with a keyboard alone. |
| <p>* Baseline Test ID: 2.3-OnFocus WCAG Standards: 3.2.1 On Focus</p> | <p>Pass ▾</p> | |
| <p>* Baseline Test ID: 5.1-ChangeContent WCAG Standards: 4.1.2 Name, Role, Value</p> | <p>Pass ▾</p> | |
| <p>* Baseline Test ID: 7.1-Color WCAG Standards: 1.4.1 Use of Color</p> | <p>Pass ▾</p> | |
| <p>* Baseline Test ID: 7.2-SensoryCharacteristics WCAG Standards: 1.3.3 Sensory Characteristics</p> | <p>Pass ▾</p> | |
| <p>* Baseline Test ID: 8.1-ContrastMinimum WCAG Standards: 1.4.3 Contrast (Minimum)</p> | <p>Pass ▾</p> | |
| <p>* Baseline Test ID: 9.1-Flashes WCAG Standards: 2.3.1 Three Flashes or Below Threshold</p> | <p>Pass ▾</p> | |
| <p>* Baseline Test ID: 10.1-FormName WCAG Standards: 4.1.2 Name, Role, Value</p> | <p>Fail ▾</p> | <p>In most cases, user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies. The exception to this is:</p> <ul style="list-style-type: none"> • In the cloze math formula question type: <ul style="list-style-type: none"> ○ There are several empty |

| | | |
|---|--------|---|
| | | buttons without an accessible name. |
| Baseline Test ID: 10.2-FormDescriptiveLabel WCAG Standards: 3.3.2 Labels or Instruction | Pass ▾ | |
| Baseline Test ID: 10.4-ErrorIdentification WCAG Standards: 3.3.3 Error Suggestion | Pass ▾ | |
| Baseline Test ID: 13.1-HeadingDescriptive WCAG Standards: 2.4.6 Headings and Labels | Fail ▾ | In most cases, headings and labels describe topic or purpose. The exception to this is: <ul style="list-style-type: none"> • In the drag and drop (classification) question type: <ul style="list-style-type: none"> ○ The drop zones for the questions have accessible labels that are not descriptive. |
| Baseline Test ID: 13.2-VisHeadingProg WCAG Standards: 2.4.6 Headings and Labels | Pass ▾ | |
| Baseline Test ID: 13.3-ProgHeadingVisual WCAG Standards: 2.4.6 Headings and Labels | Pass ▾ | |
| Baseline Test ID: 13.4-List WCAG Standards:1.3.1 Info and Relationships | Fail ▾ | In most cases, headings and labels describe topic or purpose. The exception to this is: <ul style="list-style-type: none"> • In the drag and drop (classification) question type: <ul style="list-style-type: none"> ○ The drop zones for the questions have accessible labels that are not descriptive. |
| * Baseline Test ID: 14.1-LinkPurpose WCAG Standards: 2.4.4 Link Purpose (In Context) | Pass ▾ | |
| * Baseline Test ID: 16.1-AudioOnlyTranscript WCAG Standards: 1.2.1 Audio-only and Video-only | Pass ▾ | |
| * Baseline Test ID: 16.2-VideoOnlyAlt WCAG Standards:1.2.1 Audio-only and Video-only | Pass ▾ | |